

Application Advice

Potatoes


Standard application rates for organic farming

Organic agriculture As of May 2024



Potato cultivation

Stages of development



Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi	300–350 kg
AKRA DGC	As needed depending on fractional soil analyses

Seed treatment | for 1000 kg of seeds

Water	40 l
AKRA Saat-Power	1 l
AKRA Sulpur+	1 l

Foliar fertilising

Application time

- ⚙ 1st spraying GS 25–28
- ⚙ 2nd spraying GS 39–40 (400 l water / adjust concentration of spray solution)
- ⚙ 3rd spraying GS 50–52 (400 l water / adjust concentration of spray solution)
- ⚙ 4th spraying GS 65–70 (400 l water / adjust concentration of spray solution)
- ⚙ 5th spraying As needed

Application rate | per ha

Water	300 l
AKRA Plus 9	0.5 l
AKRA Blatt	2 l
AKRA MSB	1 l
AKRA Azotobacter	2 l (up to EC 40)
AKRA Sulpur+	3 l
AKRA WD	0.5 l
AKRA org. liquid fertiliser	10 l

INFO

- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The further addition of other **AKRA** products can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ Do not spray in direct sunlight.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

