

# Application Advice

# Cereals

## Standard application rates for organic farming

Organic agriculture As of May 2024



## Soil fertilising and seed treatment

### Soil fertilising

<b>AKRA</b> Kombi	200–300 kg
<b>AKRA</b> DGC	As needed depending on fractional soil analyses

### Seed treatment | for 100 kg of seeds

<b>AKRA</b> Saat-Power	0.4–0.5 l
<b>AKRA</b> Sulpur+	0.1l (when needed)

## Autumn spraying

### General

- ⚙ Prevents mildew, net blotch, rhynchosporium, viral diseases
- ⚙ Vectors: lice, frit fly

### Application

- ⚙ Leaf stage 2–3
- ⚙ 8 hours, minimum +6°C

### Application rate | per ha

Water	200 l
<b>AKRA</b> Plus 9	0.25l
<b>AKRA</b> Blatt	1 l
<b>AKRA</b> MSB	1 l
<b>AKRA</b> Sulpur+	1 l
<b>AKRA</b> WD	0.5 l

## Spring spraying

### General

- ⚙ Plant strengthening agent at vegetation start

### Application

- ⚙ GS 20–23
- ⚙ 8 hours, minimum +6°C

### Application rate

Water	200 l
<b>AKRA</b> Plus 9	0.25 l
<b>AKRA</b> Blatt	1 l
<b>AKRA</b> MSB	1 l
<b>AKRA</b> Azotobacter	0.25 l
<b>AKRA</b> Azo+	0.25 l
<b>AKRA</b> Sulpur+	2 l
<b>AKRA</b> WD	0.2 l
<b>AKRA</b> org. liquid fertiliser	10 l

## Spraying (GS 31–49)

### Application rate

Water	200 l
<b>AKRA</b> Plus 9	0.5 l
<b>AKRA</b> Blatt	2 l
<b>AKRA</b> MSB	1 l
<b>AKRA</b> Azotobacter	0.25 l
<b>AKRA</b> Azo+	0.25 l
<b>AKRA</b> Sulpur+	2 l
<b>AKRA</b> WD	0.2 l
<b>AKRA</b> org. liquid fertiliser	20 l

## INFO

- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Do not spray in direct sunlight.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

**SUCCESS**

WITH THE **AKRA FERTILISING SYSTEM**

» Guaranteed

